

## Ringlock Ledger System $\leq 30\text{kg/m}^2$ Horizontal Adjustment $\leq \pm 3^\circ$ for Steel Structure Projects

### Basic Information

- Place of Origin: China
- Brand Name: Bythai
- Model Number: BT03



### Product Specification

- Max Height:  $\leq 30\text{m}$
- Joints: Double-locking
- Horizontal Adjustment:  $\leq \pm 3^\circ$
- Warranty: 2 Years
- Material: Q235 Steel
- Safety Factor:  $\geq 4$
- Components: Vertical, Horizontal, Diagonal, Brace, Base Plate, Ladder, Etc.
- Horizontal Load Capacity:  $\geq 15\text{KN}$
- Highlight: **scaffolding ringlock system, horizontal ringlock system scaffolding**

### Product Description:

Ringlock System Scaffolding is an ideal formwork and scaffolding solution for construction projects. It is compliant with EN12810 & EN12811 standards and features a high safety factor of  $\geq 4$ . Its excellent vertical load capacity of  $\geq 45\text{KN}$  and low weight of  $\leq 30\text{kg/m}^2$  makes it very easy to handle and transport. Additionally, it is comprised of various components such as vertical, horizontal, diagonal, brace, base plate, ladder, etc. With a simple, quick and secure assembly process, Ringlock System Scaffolding is the perfect choice for today's complex construction projects. Ringlock formwork and Ringlock andamios are the key components of the Ringlock System Scaffolding, providing strength and stability while ensuring the highest level of safety.

### Features:

**Product Name:** Ringlock System Scaffolding

**Max Height:**  $\leq 30\text{m}$

**Joints:** Double-locking

**Vertical Load Capacity:**  $\geq 45\text{KN}$

**Horizontal Adjustment:**  $\leq \pm 3^\circ$

**Standard:** EN12810 & EN12811

### Technical Parameters:

<b>Components</b>	Vertical, Horizontal, Diagonal, Brace, Base Plate, Ladder, Etc.
<b>Max Height</b>	$\leq 30\text{m}$
<b>Horizontal Load Capacity</b>	$\geq 15\text{KN}$
<b>Standard</b>	EN12810 & EN12811
<b>Vertical Adjustment</b>	$\leq \pm 3^\circ$
<b>Material</b>	Q235 Steel
<b>Horizontal Adjustment</b>	$\leq \pm 3^\circ$
<b>Warranty</b>	2 Years
<b>Vertical Load Capacity</b>	$\geq 45\text{KN}$
<b>Weight</b>	$\leq 30\text{kg/m}^2$

### Applications:

Bythai BT03 Ringlock System Scaffolding is a perfect solution for constructing different types of structures. Its high-quality hot-dipped galvanized surface treatment ensures that it is corrosion-resistant and can be used for a long time. It has excellent vertical load capacity of up to  $45\text{KN}$  and horizontal adjustment of up to  $\pm 3^\circ$ , making it suitable for various applications. Moreover, its size of  $48.3\text{mm}$  makes it easy to assemble components quickly and securely. Furthermore, it comes with a 2-year warranty, providing customers with peace of mind.

Bythai BT03 Ringlock System Scaffolding is a reliable and safe choice for construction projects. It is the ideal choice for scaffolding in high-rise buildings, bridge construction, and other civil engineering projects. It is also perfect for installing large billboards, decorations, etc. The Ringlock system provides greater stability and safety, making it the preferred choice for large-scale, complex projects. Moreover, its modular design makes it easy to assemble and disassemble, allowing for efficient and fast installation.

Bythai BT03 Ringlock System Scaffolding is the perfect solution for all types of construction projects. Its excellent quality, superior strength, and fast installation make it the perfect choice for any project. Its reliable design and high-quality materials make it the perfect choice for any construction project.

### Customization:

Ringlock System Scaffolding Customization Service

Bythai offers a customized Ringlock System Scaffolding service for BT03. This product is made in China and its weight is  $\leq 30\text{kg/m}^2$ . It has a horizontal adjustment of  $\leq \pm 3^\circ$  and a vertical load capacity of  $\geq 45\text{KN}$ . The max height is  $\leq 30\text{m}$  and the joints are double-locking. Our Ringlock System Scaffolding is equipped with the latest technologies to ensure high performance and safety. It is designed with a double-locking system that provides a secure connection between components. The adjustable horizontal angle allows for easy

installation and ensures stability. Additionally, its vertical load capacity is  $\geq 45\text{KN}$  and its max height is  $\leq 30\text{m}$ , making it ideal for a variety of applications.

Bythai's Ringlock System Scaffolding service is designed with the highest quality materials to ensure a long-lasting product. We provide a range of customization options to meet the needs of all projects. Our team of experienced engineers is available to assist with any questions you may have.

For more information about our Ringlock System Scaffolding service, please contact us today.

## Support and Services:

Ringlock System Scaffolding Technical Support and Service

At Ringlock System Scaffolding, we understand the importance of having technical support and service when using our products. We are committed to providing you with the best service possible. Here is what you can expect from us:

24/7 customer support: Our customer service team is available 24/7 to answer any questions that you may have.

On-site training: We offer on-site training for our Ringlock System Scaffolding products so that you can use them with confidence.

Live chat: Our live chat feature allows you to quickly get in touch with a customer service representative.

Online tutorials: We offer a comprehensive library of tutorials and instructional videos to help you get the most out of our products.

Regular updates: We regularly update our Ringlock System Scaffolding products to ensure that they are up-to-date and running smoothly.

At Ringlock System Scaffolding, we are dedicated to providing you with the best technical support and service. If you ever have any questions or need help with our products, our team is here to help.

## Packing and Shipping:

Ringlock System Scaffolding Packaging and Shipping:

The Ringlock System Scaffolding will be securely packaged and shipped by our trusted freight carrier. The package will include a detailed instruction manual as well as all necessary components to assemble the scaffolding. We take great pride in ensuring that your product arrives safe and sound.

## FAQ:

**Q:** What is the Brand Name of the Ringlock System Scaffolding?

**A:** The Brand Name of the Ringlock System Scaffolding is Bythai.

**Q:** What is the Model Number of the Ringlock System Scaffolding?

**A:** The Model Number of the Ringlock System Scaffolding is BT03.

**Q:** Where is the Ringlock System Scaffolding made?

**A:** The Ringlock System Scaffolding is made in China.

**Q:** What are the features of the Ringlock System Scaffolding?

**A:** The Ringlock System Scaffolding features high strength, easy and fast assembly, excellent stability, and anti-corrosion.


**Q:** What safety measures are taken for the Ringlock System Scaffolding?

**A:** The Ringlock System Scaffolding is designed in compliance with international safety standards and features a Heavy Duty Structure for robustness and stability.



**Bythai Scaffolding Co.,Ltd**

 17300780862

 [info@bythaiscaffolding.com](mailto:info@bythaiscaffolding.com)

 [bythaiscaff.com](http://bythaiscaff.com)

No. 605,Industrail Exchange Center ,Huanghai Town Changsha Hunan China