


Hot Dipped Galvanised Scaffold Tube With High Elongation

Our Product Introduction

for more products please visit us on bythaiscaff.com


Basic Information

- Place of Origin: China
- Brand Name: Bythai Scaffolding
- Certification: SGS
- Model Number: BT01
- Price: \$5-\$18
- Packaging Details: In bundles
- Delivery Time: 7-15 days
- Payment Terms: TT/LC
- Supply Ability: 1000tons per month



Product Specification

- Name: Galvanised Scaffold Tube
- Weight: 6.4kg/m
- Standard: EN39
- Diameter: 48.3mm
- Length: 6m
- Application: Scaffolding
- Elongation: >20%
- Bending Radius: >2.5D
- Highlight: **Hot Dipped Galvanised Scaffold Tube,
Galvanised Scaffold Tube,
Hot Dipped Galvanzied Pipes 6m**



Product Description

Product Description:

Galvanised Scaffold Tube is made of high quality galvanised steel, which is ideal for scaffolding applications. It has a thickness of 3.2mm and a diameter of 48.3mm. The surface is treated with hot dip galvanisation, which gives it superior corrosion resistance and a longer lifespan. The hot dip galvanisation process also ensures that the GI pipe is stamped with the relevant safety standards, making it ideal for construction and engineering projects.

Galvanised Scaffold Tube provides excellent strength and durability, and is highly resistant to rust and corrosion. It is lightweight and easy to install, with a strong load-bearing capacity. It is an ideal material for scaffolding, as it ensures a safe and secure structure. The hot dip galvanisation process also ensures that the steel tube is resistant to fire and can withstand extreme temperatures.

Galvanised Scaffold Tube is an essential component of any scaffolding project, and is suitable for both indoor and outdoor applications. It has a sleek and attractive appearance, and is a perfect choice for any construction or engineering project. With its superior strength and corrosion resistance, it is the perfect material to ensure a safe and secure scaffolding structure.

Features:

Product Name: Galvanised Scaffold Tube

Tensile Strength: 420N/mm²

Material: Galvanised Steel

Application: Scaffolding

Weight: 6.4kg/m

Diameter: 48.3mm

Keywords: galvanized scaffolding pipe tube, bs1139 scaffolding tube, galvanized scaffolding pipe tube

Technical Parameters:

Name	Galvanised Scaffold Tube
Standard	EN39
Thickness	3.2mm
Bending radius	>2.5D
Weight	6.4kg/m
Length	6m
Surface Treatment	Galvanised
Tensile Strength	420N/mm ²
Yield Strength	245N/mm ²
Application	Scaffolding

Applications:

Bythai Scaffolding's galvanised scaffold tube (model BT01) is a versatile, reliable and safe product for a wide range of construction and industrial applications. It is made from STK 500 grade black steel tubes and galvanised with a high-quality zinc coating for superior corrosion and rust resistance. The galvanised scaffold tube is strong and durable with a tensile strength of 420N/mm², and can hold up to 6.4 kg/m of weight. With its high-quality finish, it is ideal for a range of outdoor and indoor projects, and is suitable for use in both warm and cold climates. The scaffold tube is available in a range of lengths, from 6m to 12m, to suit your needs.

Bythai Scaffolding's galvanised scaffold tube is certified by SGS and has a competitive price ranging from \$5-\$18 per tube. It is packaged in bundles for easy transportation and delivery time is approximately 7-15 days. Payment terms are TT/LC and Bythai Scaffolding can supply up to 1000 tons a month.

The galvanised scaffold tube is ideal for a range of applications, including construction, engineering, mining, road building, renovation, and more. It is easy to assemble and can be used for a variety of scaffolding solutions, including ladders, staircases, platforms, towers, and more. Its superior quality and durability make it a cost-effective choice for construction projects, and its galvanized finish ensures that it can withstand even the toughest conditions.

Support and Services:

We provide technical support and service for Galvanised Scaffold Tube products. We have a team of experienced engineers and technicians who are knowledgeable in the latest technical developments and regulatory compliance. We offer technical assistance and advice on product selection, installation, maintenance, and troubleshooting.

Our technical support team is available to answer any questions you may have and provide you with the necessary guidance. We also

offer comprehensive training courses to ensure that you are equipped with the necessary knowledge and skills to properly install and use the product. Additionally, we offer online support and resources to help you stay up to date with the latest product developments and technical information.

At Galvanised Scaffold Tube, we are committed to providing superior customer service and technical support. If you have any questions or need assistance, please do not hesitate to contact us. We look forward to helping you with your Galvanised Scaffold Tube product.

Packing and Shipping:

Galvanised Scaffold Tubes are usually packaged and shipped as follows:

The tubes are packed in bundles of around 100-200 pieces.

Each bundle is wrapped in a protective heat-shrink wrap.

The bundles are then secured with steel bands and loaded onto pallets.

The pallets are shrink-wrapped for protection against moisture and dirt.

The packed pallets are loaded into containers for shipping.



Bythai Scaffolding Co.,Ltd



15084911343



info@bythaiscaffolding.com



bythaiscaff.com

Room 702.TianMei Building,No.676 Shaoshan Road,Yuhua,Changsha, Hunan, China