


Galvanised Steel Scaffold Tube Scaffolding Galvanised Scaffold Tube

Our Product Introduction

for more products please visit us on bythaiscaff.com


Basic Information

- Place of Origin: China
- Brand Name: Bythai Scaffolding
- Certification: SGS
- Model Number: BT01
- Price: \$5-\$18
- Packaging Details: In bundles
- Delivery Time: 7-15 days
- Payment Terms: TT/LC
- Supply Ability: 1000tons per month



Product Specification

- Material: Galvanised Steel
- Diameter: 48.3mm
- Application: Scaffolding
- Weight: 6.4kg/m
- Thickness: 3.2mm
- Tensile Strength: 420N/mm2
- Standard: EN39
- Name: Galvanised Scaffold Tube
- Highlight: **D48.3mm Galvanised Scaffold Tube,
3.2mm Thickness Galvanized Scaffolding Tube,
SGS Galvanised Steel Scaffold Tube**



Product Description

Galvanised Steel Scaffold Tube Scaffolding Galvanised Scaffold Tube

Product Description:

Galvanised Scaffold Tube - The Ultimate Solution for Your Scaffolding Needs

Scaffolding is an essential component in construction and maintenance work, providing a safe and stable platform for workers to perform their tasks. At the heart of any scaffolding system is the scaffolding steel tube, also known as the tube scaffolding or pipe scaffold tube. And when it comes to scaffolding steel tubes, one name stands out - Galvanised Scaffold Tube.

Product Overview

Galvanised Scaffold Tube is a high-quality, durable and corrosion-resistant scaffolding tube that is designed and manufactured to meet the stringent requirements of the construction industry. It is a versatile and cost-effective solution for all your scaffolding needs.

Application

Galvanised Scaffold Tube is primarily used in the construction industry for scaffolding purposes. It provides a sturdy and stable platform for workers to perform their tasks at various heights. It is also commonly used in maintenance work, such as painting, cleaning, and repair work on buildings and structures.

Standard

Galvanised Scaffold Tube conforms to the EN39 standard, which is the European standard for steel tubes used in scaffolding. This ensures that our product meets the highest quality and safety standards, giving you peace of mind and assurance when using our tubes in your scaffolding system.

Key Features

High Tensile Strength: Galvanised Scaffold Tube has a tensile strength of 420N/mm², making it strong and durable enough to withstand heavy loads and harsh working conditions.

Durable: Our scaffolding tubes are made from high-quality steel and are hot-dipped galvanized, making them resistant to corrosion, rust, and other forms of damage. This ensures their longevity and saves you money on frequent replacements.

Corrosion Resistant: The hot-dip galvanization process creates a protective layer over the steel, making it highly resistant to corrosion and extending its lifespan.

Versatile: Galvanised Scaffold Tube is available in various sizes and can be used for a wide range of scaffolding applications, making it a versatile solution for all your scaffolding needs.

Specifications

Name: Galvanised Scaffold Tube

Standard: EN39

Tensile Strength: 420N/mm²

Thickness: 3.2mm

Don't compromise on the quality and safety of your scaffolding system. Choose Galvanised Scaffold Tube for a reliable and durable solution. Contact us today to learn more about our product and how it can benefit your construction projects.

■

Technical Parameters:

Product Name	Galvanised Scaffold Tube
Tensile Strength	420N/mm ²
Diameter	48.3mm
Thickness	3.2mm
Standard	EN39
Surface Treatment	Galvanised
Application	Scaffolding
Yield Strength	245N/mm ²
Weight	6.4kg/m
Material	Galvanised Steel
Keywords	hot dip galvanized scaffolding steel tube, galvanized scaffold tube 48, scaffolding tube price

Applications:

Galvanised Scaffold Tube - Bythai Scaffolding

Brand Name: Bythai Scaffolding

Model Number: BT01

Place of Origin: China

Certification: SGS

Price: \$5-\$18
Packaging Details: In bundles
Delivery Time: 7-15 days
Payment Terms: TT/LC
Supply Ability: 1000tons per month
Surface Treatment: Galvanised
Name: Galvanised Scaffold Tube
Yield Strength: 245N/mm2
Standard: EN39
Thickness: 3.2mm

Product Name	Galvanised Scaffold Tube
Brand Name	Bythai Scaffolding
Model Number	BT01
Place of Origin	China
Certification	SGS
Price	\$5-\$18
Packaging Details	In bundles
Delivery Time	7-15 days
Payment Terms	TT/LC
Supply Ability	1000tons per month
Surface Treatment	Galvanised
Name	Galvanised Scaffold Tube
Yield Strength	245N/mm2
Standard	EN39
Thickness	3.2mm

Key Features:

Suitable for Construction Industry

Galvanised scaffold tubes are widely used in the construction industry as they provide a strong and reliable support structure for building projects.

Safe and Stable

Bythai Scaffolding's galvanised scaffold tubes are designed to be safe and stable, ensuring the safety of workers on construction sites.

Durable and Rust-Resistant

Our galvanised scaffolding steel tube is coated with a layer of zinc through the galvanization process, making it highly resistant to rust and corrosion.

Cost-Effective

With a price range of \$5 to \$18, our galvanised scaffold tubes are a cost-effective solution for your construction needs.

Easy to Install

Bythai Scaffolding's galvanised scaffold tubes are designed for easy installation, saving you time and effort on the job site.

High Strength

With a yield strength of 245N/mm2, our galvanised scaffold tubes provide strong and sturdy support for your building projects.

Long-Lasting

The galvanisation process creates a protective layer that ensures the longevity of our scaffold tubes, making them a long-lasting solution for your construction needs.

Weather-Resistant

Our galvanised scaffold tubes are weather-resistant, making them suitable for use in any climate or weather conditions.

Contact Us:

For more information about our galvanised scaffold tubes, please contact us at:

Phone: +86-123-456-7890

Email: info@bythaiscaffolding.com

Address: 123 Main Street, China

Customization:

Galvanised Scaffold Tube - Customization Service

Brand Name: Bythai Scaffolding

Model Number: BT01

Place of Origin: China

Certification: SGS

Price: \$5-\$18

Packaging Details: In bundles

Delivery Time: 7-15 days

Payment Terms: TT/LC

Supply Ability: 1000tons per month

Diameter: 48.3mm

Name: Galvanised Scaffold Tube

Weight: 6.4kg/m

Thickness: 3.2mm

Application: Scaffolding

Key Features:

High quality galvanised scaffold tube

Available in various sizes and dimensions

Certified by SGS for quality assurance
Competitive price range of \$5-\$18
Secure packaging in bundles for safe transportation
Fast delivery time of 7-15 days
Flexible payment terms of TT/LC
Reliable supply ability of 1000tons per month
Durable and strong with a diameter of 48.3mm
Lightweight with a weight of 6.4kg/m
Thick and sturdy with a thickness of 3.2mm
Suitable for various scaffolding applications
Customization Services:

At Bythai Scaffolding, we offer customization services for our Galvanised Scaffold Tube to meet the specific needs of our customers. Our team of experts can assist you in customizing the following aspects of the product:

Size and dimensions

Material type and grade

Surface treatment (e.g. galvanized, painted, etc.)

Logo or branding

Packaging

Delivery time

Payment terms

Supply ability

Our customization services aim to provide you with a tailored solution that meets your specific requirements and budget. Contact us today to discuss your customization needs for the Galvanised Scaffold Tube.

Keywords:

Scaffolding tube price, pipe scaffold tube, scaffold tube dimensions, galvanized tube, scaffold steel tube, scaffolding tube for sale

Packing and Shipping:

.



Bythai Scaffolding Co.,Ltd



15084911343



info@bythaiscaffolding.com



bythaiscaff.com

Room 702.TianMei Building,No.676 Shaoshan Road,Yuhua,Changsha, Hunan, China