

## Metal Steel Q235 Q355 Galvanized ringlock scaffolding system Rosette Ringlock Scaffolding Parts

Our Product Introduction

for more products please visit us on [bythaiscaff.com](http://bythaiscaff.com)

### Basic Information

- Place of Origin: China
- Brand Name: bythai
- Certification: SGS ISO
- Model Number: BT203
- Minimum Order Quantity: 1000
- Price: 8.5-85.5
- Packaging Details: container
- Delivery Time: 10-15
- Payment Terms: L/C, T/T




### Product Specification

- Features: High Strength, Durable
- Main Components: Ringlock  
Standard/Ledger/Diagonal/accessories
- Assembly Type: Quick Locking
- Tube Diameter: 48.3mm
- Standard: EN12810/EN12811/AS/NZS1576
- Materials: Q195, Q235, Q355B
- Package: Steel Pallet, Carton, Or As Per Customer's Request
- Connection Type: Ringlock
- Flexibility: Easy To Adjust And Reposition
- Usage: Construction
- Surface Treatment: Hot Dip Galvanized
- Application Scenarios: Architecture
- Joints: Double-locking
- Advantages: High Efficiency, Easy Assembly, Strong And



### More Images



## Product Description

### Metal Steel Q235 Q355 Galvanized ringlock scaffolding system Rosette Ringlock Scaffolding Parts/Accessories

The Ringlock System Scaffolding is a time-saving and cost-effective solution for construction projects. Its easy assembly and adaptability help to reduce labor costs and increase efficiency, saving both time and money for construction companies. With its high load capacity and durable design, this product also eliminates the need for frequent replacements, making it a cost-effective choice in the long run.

1. House construction: Used to build temporary scaffolding to provide safe support for workers and materials, from foundation engineering to wall construction.
2. Oil pipe engineering: used to support drilling platforms, oil pipe racks and other facilities related to the petroleum industry to ensure work safety and stability.
3. Marine engineering: used to build offshore platforms, bridges, docks and other structures. Galvanizing anti-corrosion treatment can improve its corrosion resistance.
4. Stage construction: used to build support structures for stages, audio equipment and lighting systems to ensure the safety and smooth progress of artistic performances.

#### 1. Ringlock Standard:

Specification	Thickness(mm)	Length(mm)	surface	Weight(kg)
M48	3.25	500	HDG	2.56
M48	3.25	1000	HDG	4.99
M48	3.25	1500	HDG	7.45
M48	3.25	2000	HDG	9.95
M48	3.25	2500	HDG	12.43
M48	3.25	3000	DHG	14.84

#### 2. Ringlock Ledger

Specification	Thickness(mm)	Length(mm)	surface	Weight(kg)
M48	3.0	600	HDG	2.35
M48	3.0	900	HDG	3.23
M48	3.0	1219	HDG	4.17
M48	3.0	1800	HDG	5.88
M48	3.0	1829	HDG	5.95
M48	3.0	2000	DHG	6.45
M48	3.0	2500	HDG	7.88

#### Ringlock Diagonal

Specification	Thickness(mm)	Length(mm)	surface	Weight(kg)
M48	2.75	1500*2000	HDG	9.87
M48	2.75	2000*1219	HDG	9.50
M48	2.75	2000*2000	HDG	10.55
M48	2.75	2000*2500	HDG	11.78

In conclusion, the Ringlock System Scaffolding by Bythai is a top-of-the-line product that offers a versatile, efficient, and safe solution for architectural construction projects. Its innovative design, high load capacity, and durability make it the ideal choice for construction companies looking for a reliable and cost-effective scaffolding system. With its Soporte Diagonal Ringlock and flexible design, this product offers stability, efficiency, and adaptability, making it a must-have in any construction project.

...

Participate in projects

□

Certificate

\_\_\_\_\_

\_\_\_\_\_

#### AFQ

1. : What types of scaffolding services does your company provide?

We provide many types of scaffolding services, including cantilever scaffolding, portal scaffolding, cantilever scaffolding, etc., as well as disc systems, steel treads, fasteners, steel supports and other products.




2. :What safety standards does your company's scaffolding comply with?

We strictly follow international, national and local safety standards to ensure that all scaffolding operations comply with relevant regulations and safety requirements.

3.: How to get a quotation from your company?

You can submit project details through the online quotation form on our official website, or contact our sales team directly for detailed quotation information.

---

 17300780862  [info@bythaiscaffolding.com](mailto:info@bythaiscaffolding.com)  [bythaiscaff.com](http://bythaiscaff.com)

No. 605,Industrail Exchange Center ,Huanghua Town Changsha Hunan China