

Heavy - Duty Galvanized Scaffolding Coupler, Forged Steel Scaffold Pipe Clamp, Anti-Corrosion Scaffolding Fastener Accessories For Outdoor Building Construction Projects

Our Product Introduction

for more products please visit us on bythaiscaff.com

Basic Information

- Place of Origin: China
- Brand Name: Bythai
- Certification: SGS
- Model Number: SCA-COU-001
- Minimum Order Quantity: 1000
- Price: 8.5-15.8
- Packaging Details: In bundles
- Delivery Time: 15-30 Working Days



Product Specification

- Surface Treatment: Galvanized, Hot Dip Galvanized, or Anti-rust Liquid, Hot Dip Gal., Hot Dip Galvanize/Zinc Plating Available
- Application: Construction, Supporting Scaffolding System, for Connecting The Scaffolding Pipe, scaffolding, connect The Scaffolding Tube
- Type: Scaffolding Parts, Korean / British, ALL Type, swivel Coupler, scaffold Coupler
- Color: Silver, white Zinc, Yellow, golden, white / Yellow
- Size: 48.3*48.3mm, 73mm, 50mm, See Table For Details.
- Product Name: Scaffolding Right Angle Coupler, Drop Forged Double Coupler, Scaffolding High Load Capacity German Type Coupler, forged Scaffolding Clamp Swivel Coupler Used Scaffold Cuplock
- Standard: EN74, BS1139, EN74/BS1139, DIN, JIS And



More Images



Product Description

Product Description:

The Scaffolding Coupler is an essential component in the construction and building industry, playing a pivotal role in the assembly and structural integrity of scaffold systems. Meeting the demands of various construction projects, this product is designed to provide a secure and reliable connection between scaffold tubes, ensuring the safety of workers and the durability of the scaffold structure. With a Minimum Order Quantity (MOQ) of 1000 units, this product is ideal for large scale construction projects or for suppliers looking to stock high-quality scaffold connection tools.


Our Scaffolding Coupler is manufactured with a keen emphasis on strength and reliability. It is crafted to exhibit high strength, capable of withstanding the rigors of construction environments and the stresses associated with supporting heavy loads. The robust design ensures that the couplers maintain their integrity and functionality, even under extreme conditions, making them a dependable choice for construction professionals.

The coupler's surface is treated with a galvanization process, which not only imparts a sleek silver color but also provides an added layer of protection against corrosion and wear. This surface treatment ensures a longer lifespan for the product, reducing the need for frequent replacements and thereby offering cost savings over time. The galvanization process also contributes to the maintenance of the coupler's aesthetic appeal, ensuring that it remains visually consistent with other scaffold components.

Technical Parameters:

Attribute	Detail
Name	Scaffolding Coupler
Package	Container
Surface Treatment	Galvanized
Feature	High Strength
Application	Construction
Standard	EN74-1
Color	Silver
MOQ	1000
Material	Steel







Packing and Shipping:

Product Packaging for Scaffolding Coupler:

The couplers are then securely packaged in sturdy cardboard boxes, with each box containing a set quantity depending on the order size.

Shipping Information for Scaffolding Coupler:

The packed cardboard boxes are loaded onto pallets and shrink-wrapped to ensure stability during transportation. The pallets are then loaded into the shipping container or truck, depending on the mode of transport. The shipping method (ground, air, or sea) will be selected based on the customer's preference, destination, and time constraints. Each shipment is accompanied by a packing slip and, if required, a commercial invoice. All necessary precautions are taken to ensure that the scaffolding couplers reach their destination in perfect condition. We advise customers to inspect the packages upon arrival and report any damages immediately for prompt resolution.



Bythai Scaffolding Co.,Ltd

☎ 15084911343

✉ info@bythaiscaffolding.com

🌐 bythaiscaff.com

Room 702.TianMei Building,No.676 Shaoshan Road,Yuhua,Changsha, Hunan, China