

Scaffolding Pipe Hot Dip Galvanized Welded Steel Tube For Building Construction Scaffold Frame Assembly

Our Product Introduction

for more products please visit us on bythaiscaff.com

Basic Information

- Place of Origin: China
- Brand Name: Bythai
- Certification: SGS
- Model Number: SCA - TUB - 001
- Minimum Order Quantity: 1000
- Price: \$8-\$14
- Packaging Details: In bundles
- Delivery Time: 15-30 Working Days
- Payment Terms: L/C, T/T



Product Specification

- Easy To Assemble: Yes
- Bending Radius: >2.5D
- Color: Silver
- Surfacetreatment: Hot-dip Galvanized
- Rust Proof: Yes
- Origin: China
- Weight: 6.4kg/m
- Size: 48.3mm
- Yield Strength: 245N/mm2
- Productname: Galvanised Scaffold Tube
- Outer diameter: 48.3 Mm
- Thickness: 2.0-4.0mm
- Corrosionresistance: High
- Outer Diameter: 48.3mm
- Materials: Steel



More Images



Product Description

Product Description

The Galvanised Scaffold Tube is made from high-quality galvanised steel with excellent rust and corrosion resistance, perfectly suitable for outdoor construction projects. The hot-dip galvanizing process forms a solid zinc protective layer, effectively avoiding oxidation and greatly extending the service life under harsh outdoor environments.

With stable mechanical performance, our scaffold tube provides a yield strength of 245N/mm² and tensile strength of 420N/mm². It can bear heavy loads without deformation or fracture, ensuring high safety for building scaffolding systems.

We supply multiple specifications including different diameters, wall thicknesses and customizable lengths. Widely used in construction, renovation and maintenance engineering, these steel tubes are essential and reliable scaffolding components for various building projects.

Features

High corrosion resistance & long service life

High strength & strong load-bearing capacity

Strictly compliant with EN39 / BS1139 standard

Hot dipped galvanized finish

Multiple sizes available

Technical Parameters:

Standard	EN39 / BS1139
Diameter	48.3mm
Application	Scaffolding
Surface Treatment	Hot - dip Galvanized
Material	Galvanised Steel
Weight	6.4kg/m
Name	Galvanised Scaffold Tube
Tensile Strength	420N/mm ²
Yield Strength	245N/mm ²
Thickness	3.2mm

1. : What types of scaffolding services does your company provide?

We provide many types of scaffolding services, including cantilever scaffolding, portal scaffolding, cantilever scaffolding, etc., as well as disc systems, steel treads, fasteners, steel supports and other products.

2. :What safety standards does your company's scaffolding comply with?

We strictly follow international, national and local safety standards to ensure that all scaffolding operations comply with relevant regulations and safety requirements.

3.: How to get a quotation from your company?

You can submit project details through the online quotation form on our official website, or contact our sales team directly for detailed quotation information.

4. :What successful scaffolding project experience does your company have?

We have been involved in many successful projects over the past three years including multi-storey buildings, bridge projects and more. Please refer to our project case page for specific cases.

5: Does your company provide services for customized scaffolding products?

Yes, we can provide customized scaffolding products according to customers' specific needs, including customization of size, shape and load capacity.



Bythai Scaffolding Co.,Ltd

☎ 15084911343

✉ info@bythaiscaffolding.com

🌐 bythaiscaff.com

Room 702.TianMei Building,No.676 Shaoshan Road,Yuhua,Changsha, Hunan, China